

#### **SAFETY DATA SHEET**

Item Code: N0756 & N0757 & N0758

#### Section 1. Identification of the material and the supplier

Item Code:N0756 & N0757 & N0758Product:Bubble Leak DetectorProduct Use:Gas leak detection

New Zealand Supplier: Realcold Ltd
Address: 9 Prescott Street
Penrose, Auckland

Telephone: 09 526 5700 Fax Number: 09 526 5721 **Emergency Telephone: 09 526 5700** 

0800 766 764 (National Poison Centre)

Manufacturer: Green Leaf Solutions

PO Box 64-125, Botany, Auckland

Date of MSDS Preparation: 14 march 2017 – ver 2

#### Section 2. Hazards Identification

# This substance has been assessed by the manufacturer as <u>not</u> being hazardous according to the HSNO (Minimum Degrees of Hazard) Regulations 2001

# Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Foamable surfactant	Not available	Not available

#### Section 4. First Aid Measures

#### Routes of Exposure:

If in Eyes Immediately flush eyes with gentle but large stream of water for at least

15 minutes, lifting lower and upper eyelids occasionally. Call a physician

immediately.

If on Skin None

If Swallowed Only induce vomiting at the instruction of a physician. Never give

anything by mouth to an unconscious person

If Inhaled N/A

#### Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from	CO, CO2, and fragmented hydrocarbons.
decomposition	
products	
Suitable	All forms of extinguishing media

Product Name: Bubble Leak Detector Item No: N0756/7/8 Issued by: Realcold Ltd Date of MSDS: 21 November 2011 Tel: 64 9 526 5700

Page 1

Extinguishing	
media	
Precautions for	As appropriate for surrounding fire
firefighters and	
special protective	
clothing	
HAZCHEM CODE	None allocated

#### Section 6. Accidental Release Measures

Use absorbent materials such as sand sawdust or vermiculite. Hose residue clean with water. Spilled area may be slippery.

#### Section 7. Handling and Storage

## Handling &

Storage

Keep container closed and upright when not in use. Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

#### Section 8 Exposure Controls / Personal Protection

**Engineering** 

**Controls** No special precautions required

**Personal** 

**Protection** Wear rubber gloves and safety goggles,

## **Section 9** Physical and Chemical Properties

Appearance Blue liquid
Odour Mild
Flash Point N/A

Flash Point N/A
Boiling Point 100°C @ 760mm hg

**Vapour Pressure (mm hg)** <1 @ 20°C

Vapour Density >1
Evaporation Rate (ethyl acetate = 1) <1
Specific Gravity 0.99
Solubility in Water soluble

#### Section 10. Stability and Reactivity

Stability of Substance Stable Conditions to Avoid None Incompatible Materials None

**Hazardous Decomposition** 

**Products** CO, CO2, and fragmented hydrocarbons.

#### Section 11 Toxicological Information

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

## Section 12. Ecotoxicological Information

Product Name: Bubble Leak Detector Item No: N0756/7/8 Prepared by:Technical Compliance Consultants Ltd Date of MSDS: 1 December 2011 Tel: 64 9 475 5240 Web: www.techcomp.co.nz

Realcold Ltd Page 2

## **Section 13. Disposal Considerations**

Non-regulated liquid waste. Dispose of in accordance with local regulations

#### Section 14 Transport Information

Not classified as a Dangerous Good for transport (in NZ; NZS 5433:2007)

#### Section 15 Regulatory Information

This substance has been assessed by the manufacturer as not hazardous according to the HSNO (Minimum Degrees of Hazard) Regulations 2001

#### Section 16 Other Information

1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.

#### Disclaimer

This document has been issued by Realcold Limited and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to Realcold Limited or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While Realcold Limited have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Realcold Limited accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

The information herein is given in good faith, but no warranty, express or implied is made. Please contact the New Zealand distributor, Realcold Ltd, if further information is required.

Issue Date: 1 December 2011 Review Date: 1 December 2016

Product Name: Bubble Leak Detector Item No: N0756/7/8 Prepared by:Technical Compliance Consultants Ltd Date of MSDS: 1 December 2011 Tel: 64 9 475 5240 Web: www.techcomp.co.nz

Realcold Ltd Page 3